

CLASSIFICATION PLOTS

<i>Menu item</i>	<i>Module name</i>	<i>Scope¹</i>	<i>Plot description</i>	<i>Details (reference)</i>
AFM (Irvine + Baragar 1971)	AFM	G	(Na ₂ O+K ₂ O) – FeOt – MgO ternary	AFM plot that serves to discriminate between calc-alkaline and tholeiitic subalkaline series (Irvine & Baragar, 1971).
SiO ₂ - FeOt/MgO (Miyashiro 1974)	Miyashiro	G	SiO ₂ vs. FeOt /MgO binary	Diagram of Miyashiro (1974) distinguishing between tholeiitic and calc-alkaline igneous rocks.
SiO ₂ - K ₂ O (Peccerillo + Taylor 1976)	PeceTaylor	G	SiO ₂ vs. K ₂ O binary	Diagram proposed by Peccerillo & Taylor (1976) to distinguish various series of tholeiitic, calc-alkaline and shoshonitic rocks.
Co – Th (Hastie et al. 2007)	Hastie	G	Co vs. Th	Replacement for the previous plot of Peccerillo & Taylor (1976) using less mobile elements, designed by Hastie <i>et al.</i> (2007).
Na ₂ O – Al ₂ O ₃ – K ₂ O (mol. %)	NaAlK	G	Na ₂ O – Al ₂ O ₃ – K ₂ O ternary	Diagram to distinguish meta-/peraluminous from peralkaline rocks as well as potassic, sodic and ultrapotassic suites.
A/CNK - A/NK (Shand 1943)	Shand	G	Al ₂ O ₃ /(CaO+Na ₂ O+K ₂ O) vs. Al ₂ O ₃ /(Na ₂ O+K ₂ O) (mol. %)	Classic A/CNK vs A/NK plot of Shand (1943) discriminating metaluminous, peraluminous and peralkaline compositions.
TAS (Le Bas et al. 1986)	TAS	V	SiO ₂ vs. (Na ₂ O + K ₂ O) binary	The principal variation of the TAS diagram, as proposed by Le Bas <i>et al.</i> (1986) and codified by Le Maitre (1989). Dividing line between alkaline and subalkaline series is that of Irvine & Baragar (1971).
TAS (Cox et al. 1979)	CoxVolc CoxPlut	V P	SiO ₂ vs. (Na ₂ O + K ₂ O) binary	Variation of the TAS diagram proposed by Cox <i>et al.</i> (1979) and adopted by Wilson (1989) for plutonic rocks.
TAS (Middlemost 1994)	TASMiddlemostVolc TASMiddlemostPlut	V P	SiO ₂ vs. (Na ₂ O + K ₂ O) binary	Variation of the TAS diagram proposed by Middlemost (1994).
Jensen (1976)	Jensen	V	Al – (Fe ^t + Ti) – Mg ternary	Ternary plot of Jensen (1976).
R1-R2 (De la Roche et al. 1980)	LarocheVolc LarochePlut	V P	R ₁ –R ₂ binary (in millications).	Multicationic classification plot of De La Roche <i>et al.</i> (1980) (R ₁ : 4Si - 11(Na + K) – 2(Fe + Ti); R ₂ : 6Ca + 2Mg + Al).
Nb/Y - Zr/TiO ₂ (Winchester + Floyd 1977) Zr/TiO ₂ - SiO ₂ (Winchester + Floyd 1977)	WinFloyd1 WinFloyd2	V	log Nb/Y vs. log Zr/TiO ₂ log Zr/TiO ₂ vs. SiO ₂ binary	Diagrams proposed by Winchester & Floyd (1977) for classification of volcanic rocks using incompatible element ratios.
Nb/Y - Zr/Ti plot (modified by Pearce 1996)	Pearce1996	V	log Nb/Y vs. log Zr/Ti	The log Nb/Y vs. log Zr/TiO ₂ plot of Winchester & Floyd (1977) modified by Pearce (1996).
QAPF diagram (Streckeisen 1978)	QAPFVolc	V	QAPF – modal compositions	Modal QAPF diagram of Streckeisen (1978)
QAPF diagram (Streckeisen 1974)	QAPFPlut	P	QAPF – modal compositions	Modal QAPF diagram of Streckeisen (1974)

¹Scope: G: general diagram, V: designed for volcanic rocks, P: designed for plutonic rocks

CLASSIFICATION PLOTS (CONTD.)

<i>Menu item</i>	<i>Module name</i>	<i>Scope¹</i>	<i>Plot description</i>	<i>Details (reference)</i>
Feldspar triangle (O'Connor 1965)	OConnorVolc OConnorPlut	V P	Ternary plot Ab-An-Or	Classification diagram after O'Connor (1965) for silica-rich rocks (quartz > 10 %). It is based on CIPW-normative (volcanic, plutonic rocks) or modal (plutonic rocks) contents of albite, anorthite and K-feldspar.
P-Q (Debon + Le Fort 1983)	DebonPQ	P	P–Q binary (in millications)	Nomenclature diagram of Debon & Le Fort (1983). Its coordinates correspond to proportions of Kfs and Pl to Qtz (P: K - (Na + Ca), Q: Si/3 - (K + Na + 2Ca/3)).
B-A (Debon + Le Fort 1983)	DebonBA	P	B–A binary (in millications)	The B–A diagram (Debon & Le Fort 1983) defines six sectors (I - VI), reflecting alumina balance of samples (B: Fe + Mg + Ti, A: Al - (K + Na + 2Ca)).
B-A plot (modified by Villaseca et al. 1998)	Villaseca	P	B–A binary (in millications)	The B–A diagram (Debon & Le Fort 1983) with fields of various types of peralkaline rocks as outlined by Villaseca <i>et al.</i> (1998)
Middlemost (1985)	MiddlemostPlut	P	SiO ₂ vs. (Na ₂ O + K ₂ O) binary	Classification diagram of Middlemost (1985) for plutonic rocks.

¹Scope: G: general diagram, V: volcanic rocks, P: plutonic rocks

GEOTECTONIC PLOTS

<i>Menu item</i>	<i>Module name</i>	<i>Scope¹</i>	<i>Plot description</i>	<i>Details (reference)</i>
Batchelor + Bowden (1985)	Batchelor	Gr	R ₁ –R ₂ binary (in millications)	R ₁ –R ₂ diagram (De La Roche <i>et al.</i> , 1980) with geotectonic implications after Batchelor & Bowden (1985). (R ₁ : 4Si - 11(Na + K) – 2(Fe + Ti); R ₂ : 6Ca + 2Mg + Al).
Maniar + Piccoli (1989)	Maniar	Gr	binary plots SiO ₂ vs. K ₂ O, Al ₂ O ₃ , and FeOt/(FeOt+MgO); MgO vs. FeOt; CaO vs. FeOt+MgO; A/CNK vs. A/NK	Major-element based geotectonic classification of granitoids (Maniar & Piccoli, 1989).
Frost et al. (2001)	Frost	Gr	binary plots SiO ₂ vs. FeOt/(FeOt+MgO); SiO ₂ vs. Na ₂ O+K ₂ O-CaO ASI vs. A/NK	Major-element based classification of granitoids (Frost <i>et al.</i> , 2001).
A type granitoids (Whalen et al. 1987)	Whalen	Gr	binary plots Zr+Nb+Ce+Y vs. FeOt/MgO (Na ₂ O+K ₂ O)/CaO 10000*Ga/Al vs. (Na ₂ O+K ₂ O) (Na ₂ O+K ₂ O)/CaO K ₂ O/MgO FeOt/MgO Zr Nb Ce Y Zn Agpaitic index	Binary plots serving for distinction of A-type granitoid rocks after Whalen <i>et al.</i> (1987).
Pearce et al. (1984)	Pearce_granite	Gr	log(Y+Nb) vs. log Rb, log Y vs. log Nb, log(Ta+Yb) vs. log Rb, log Yb vs. log Ta	Trace-element based geotectonic classification of granitoids by Pearce <i>et al.</i> (1984).
Harris et al. (1986)	Harris	Gr	ternary plot Hf - Rb/30 - Ta*3	The diagram distinguishes among four types of collisional granites.
Sylvester (1989)	Sylvester	Gr	Al ₂ O ₃ +CaO)/(FeOt+Na ₂ O+K ₂ O) vs. 100*(MgO+FeOt+TiO ₂)/SiO ₂	Diagram proposed by Sylvester (1989) to distinguish the alkaline collision-related alkaline granites.
Schandl + Gorton (2002)	Schandl	G	log Ta/Yb vs. log Th/Ta Ta vs. Th Ta/Hf vs. Th/Hf Yb vs. Th/Ta	Discrimination of geotectonic environment of felsic volcanic rocks (rhyolites), proposed by Schandl & Gorton (2002). It is based on combination of four presumably little immobile trace elements (Ta, Yb, Th, Hf).

GEOTECTONIC PLOTS (CONTD.)

<i>Menu item</i>	<i>Module name</i>	<i>Scope¹</i>	<i>Plot description</i>	<i>Details (reference)</i>
Verma et al. (2006) based on major elements	Verma	B	Suite of five diagrams based on log-transformed concentration ratios of major-element oxides	Discrimination of geotectonic environment of ultrabasic and basic rocks ($\text{SiO}_2 < 52$ wt. %), proposed by Verma <i>et al.</i> (2006).
Agrawal et al. (2008), La, Sm, Yb, Nb, Th based	Agrawal	B	Suite of five diagrams based on log-transformed concentration ratios of La, Sm, Yb, Nb and Th	Discrimination of geotectonic environment of ultrabasic and basic rocks, proposed by Agrawal <i>et al.</i> (2008). It is based on log-transformed concentration ratios of five trace elements (La, Sm, Yb, Nb, and Th), i.e., using four ratios $\ln(\text{La}/\text{Th})$, $\ln(\text{Sm}/\text{Th})$, $\ln(\text{Yb}/\text{Th})$, and $\ln(\text{Nb}/\text{Th})$.
Meschede (1986) Zr/4-2Nb-Y	Meschede	B	Zr/4 – 2Nb – Y ternary	(Meschede, 1986)
Mullen (1983) 10MnO-TiO ₂ -10P ₂ O ₅	Mullen	B	10 MnO – TiO ₂ – 10 P ₂ O ₅	(Mullen, 1983)
Pearce + Cann (1973)	Pearce_and_Cann	B	Zr – Ti/100 – 3 Y ternary, Zr – Ti/100 – Sr/2 ternary, log Zr – log Ti binary	(Pearce & Cann, 1973)
Pearce + Norry (1979)	Pearce_and_Norry	B	log Zr vs. log Zr/Y	(Pearce & Norry, 1979)
Pearce et al. (1977) MgO-FeOt-Al ₂ O ₃	Pearce_et_al_1977	B	MgO – FeOt – Al ₂ O ₃ ternary	(Pearce <i>et al.</i> , 1977)
Pearce (1982)	Pearce_1982	B	log Zr vs. log. Ti	(Pearce, 1982)
Shervais (1982)	Shervais	B	log Ti/1000 vs. log V	(Shervais, 1982)
Wood (1980)	Wood	B	Th – Hf/3 – Ta Th – Hf/3 – Nb/16 Th – Zr/117 – Nb/16	(Wood, 1980)

¹Scope: Gr: granitoids, B: basaltoids.

REFERENCES

- Agrawal S, Guevara M, Verma S (2008). Tectonic discrimination of basic and ultrabasic volcanic rocks through log-transformed ratios of immobile trace elements. *International Geology Review* **50**, 1057–1079.
- Batchelor, R. A. & Bowden, P. (1985). Petrogenetic interpretation of granitoid rock series using multicationic parameters. *Chemical Geology* **48**, 43–55.
- Cox, K. G., Bell, J. D. & Pankhurst, R. J. (1979). *The Interpretation of Igneous Rocks*. George Allen & Unwin.
- De La Roche, H., Leterrier, J., Grandclaude, P. & Marchal, M. (1980). A classification of volcanic and plutonic rocks using R_1R_2 -diagram and major element analyses – its relationships with current nomenclature. *Chemical Geology* **29**, 183–210.
- Debon, F. & Le Fort, P. (1983). A chemical–mineralogical classification of common plutonic rocks and associations. *Transactions of the Royal Society of Edinburgh, Earth Sciences* **73**, 135–149.
- Frost, B. R., Barnes, C. G., Collins, W. J., Arculus, R. J., Ellis, D. J. & Frost, C. D. (2001). A geochemical classification for granitic rocks. *Journal of Petrology* **42**, 2033–2048.
- Harris N B W, Pearce J A, Tindle A G (1986) Geochemical characteristics of collision- zone magmatism. In: Coward M P, Ries A C (eds) Collision Tectonics. Geological Society London Special Publication 19, pp 67-81
- Hastie, A. R., Kerr, A. C., Pearce, J. A. & Mitchell, S. F. (2007). Classification of altered volcanic island arc rocks using immobile trace elements: development of the Th Co discrimination diagram. *Journal of Petrology* **48**, 2341–2357.
- Irvine, T. N. & Baragar, W. R. A. (1971). A guide to the chemical classification of the common volcanic rocks. *Canadian Journal of Earth Sciences* **8**, 523–548.
- Jensen, L. S. (1976). *A New Cation Plot for Classifying Subalkalic Volcanic Rocks*. Ontario Geological Survey Miscellaneous Paper **66**.
- Le Bas, M. J., Le Maitre, R. W., Streckeisen, A. & Zanettin, B. (1986). A chemical classification of volcanic rocks based on the total alkali–silica diagram. *Journal of Petrology* **27**, 745–750.
- Le Maitre, R. W. (1989). *A Classification of Igneous Rocks and Glossary of Terms. Recommendations of the IUGS Commission on the Systematics of Igneous Rocks*. Oxford: Blackwell.
- Maniar, P. D. & Piccoli, P. M. (1989). Tectonic discriminations of granitoids. *Geological Society of America Bulletin* **101**, 635–643.
- Meschede, M. (1986). A method of discriminating between different types of mid-ocean ridge basalts and continental tholeiites with the Nb–Zr–Y diagram. *Chemical Geology* **56**, 207–218.
- Middlemost, E. A. K. (1985). *Magma and Magmatic Rocks*. London: Longman.
- Middlemost, E. A. K. (1985). Naming materials in the magma/igneous rock system. *Earth-Sciences Reviews* **37**, 215–224.
- Miyashiro A. (1974). Volcanic rock series in island arcs and active continental margins. *American Journal of Science* **274**, 321–355.
- Mullen, E. D. (1983). $MnO/TiO_2/P_2O_5$: a minor element discriminant for basaltic rocks of oceanic environments and its implications for petrogenesis. *Earth and Planetary Science Letters* **62**, 53–62.
- O'Connor, J. T. (1965). A classification for quartz-rich igneous rocks based on feldspar ratios. In: *US Geological Survey Professional Paper B525*. USGS, 79–84.
- Pearce, J. A. (1982). Trace element characteristics of lavas from destructive plate boundaries. In: Thorpe R.S. (ed.) *Andesites: Orogenic Andesites and Related Rocks*. John Wiley & Sons, Chichester, pp. 525-548, ISBN 0 471 28034 8
- Pearce, J. A. (1996). A user's guide to basalt discrimination diagrams. In: Wyman, D. A. (ed.) *Trace Element Geochemistry of Volcanic Rocks: Applications for Massive Sulphide Exploration*. Geological Association of Canada, Short Course Notes 12, 79–113.
- Pearce, J. A. & Cann, J. R. (1973). Tectonic setting of basic volcanic rocks determined using trace element analyses. *Earth and Planetary Science Letters* **19**, 290–300.
- Pearce, J. A. & Norry, M. J. (1979). Petrogenetic implications of Ti, Zr, Y, and Nb variations in volcanic rocks. *Contributions to Mineralogy and Petrology* **69**, 33–47.

- Pearce, T. H., Gorman, B. E. & Birkett, T. C. (1977). The relationship between major element geochemistry and tectonic environment of basic and intermediate volcanic rocks. *Earth and Planetary Science Letters* **36**, 121–132.
- Pearce, J. A., Harris, N. W. & Tindle, A. G. (1984). Trace element discrimination diagrams for the tectonic interpretation of granitic rocks. *Journal of Petrology* **25**, 956–983.
- Peccerillo, A. & Taylor, S. R. (1976). Geochemistry of Eocene calc-alkaline volcanic rocks from the Kastamonu area, Northern Turkey. *Contributions to Mineralogy and Petrology* **58**, 63–81.
- Shand, S. J. (1943). *Eruptive Rocks. Their Genesis, Composition, Classification, and Their Relation to Ore-Deposits with a Chapter on Meteorite*. New York: John Wiley & Sons.
- Schandl, E. S. & Gorton, M. P. (2002). Application of high field strength elements to discriminate tectonic settings in VMS environments. *Economic Geology* **97**, 629–642.
- Shervais, J. W. (1982). Ti–V plots and the petrogenesis of modern and ophiolitic lavas. *Earth and Planetary Science Letters* **59**, 101–118.
- Streckeisen, A. (1974). Classification and nomenclature of plutonic rocks. *Geologische Rundschau* **63**, 773–786.
- Streckeisen, A. (1978). IUGS Subcommittee on the Systematics of Igneous Rocks: Classification and nomenclature of volcanic rocks, lamprophyres, carbonatites and melilitic rocks; recommendation and suggestions. *Neues Jahrbuch für Mineralogie, Abhandlungen* **134**, 1–14.
- Streckeisen, A. & Le Maitre, R. W. (1979). A chemical approximation to the modal QAPF classification of the igneous rocks. *Neues Jahrbuch für Mineralogie, Abhandlungen* **136**, 169–206.
- Sylvester P J (1989). Post-collisional alkaline granites. *Journal of Geology* **97**, 261–280.
- Verma S P, Guevara M, Agrawal S (2006). Discriminating four tectonic settings: Five new geochemical diagrams for basic and ultrabasic volcanic rocks based on log-ratio transformation of major-element data. *Journal of Earth System Science* **115**, 485–528.
- Villaseca, C., Barbero, L. & Herreros, V. (1998). A re-examination of the typology of peraluminous granite types in intracontinental orogenic belts. *Transactions of the Royal Society of Edinburgh, Earth Sciences* **89**, 113–119.
- Whalen J, B., Currie K. L. & Chappell B. W. (1987). A-type granites: geochemical characteristics, discrimination and petrogenesis. *Contributions to Mineralogy and Petrology* **95**, 407–419.
- Wilson, M. (1989). *Igneous Petrogenesis*. London: Unwin Hyman.
- Winchester, J. A. & Floyd, P. A. (1977). Geochemical discrimination of different magma series and their differentiation products using immobile elements. *Chemical Geology* **20**, 325–343.
- Wood, D. A. (1980). The application of a Th–Hf–Ta diagram to problems of tectonomagmatic classification and to establishing the nature of crustal contamination of basaltic lavas of the British Tertiary volcanic province. *Earth and Planetary Science Letters* **50**, 11–30.