

# R documentation

of 'PearceDesctructive2.Rd'

January 31, 2018

---

PearceDestructive2	<i>Ta/Yb - Th/Yb (Pearce 1982)</i>
--------------------	------------------------------------

---

## Description

Assigns data for Ta/Yb vs. Th/Yb binary diagram into Figaro template (list 'sheet') and appropriate values into 'x.data' and 'y.data'.

## Usage


```
PearceDestructive2()
```

## Arguments

None.

## Details

The binary plot Ta/Yb vs. Th/Yb of *Pearce (1982)* serves for geotectonic discrimination of volcanic-arc basalts. In addition, it can distinguish between the tholeiitic, calc-alkaline and shoshonitic types.



### Value

sheet	list with Figaro Style Sheet data
x.data	x coordinates
y.data	y coordinates

### Author(s)

Vojtech Janousek, <vojtech.janousek@geology.cz>

### References

Pearce JA (1982) Trace element characteristics of lavas from destructive plate boundaries. In: Thorpe RS (eds) *Andesites; Orogenic Andesites and Related Rocks*. John Wiley & Sons, Chichester, pp 525-548

Coordinates and graph layout are taken from website of [Kurt Hollocher](#).

### See Also

[figaro plotDiagram](#)

### Examples

```
# plot the diagram
# assuming a dataset is loaded, of course!
```

```
## Not run:  
plotDiagram("PearceDestructive2",FALSE,TRUE)  
  
## End(Not run)
```